

Connecting via Winsock to STN

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:ssspta1623paz

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Sep 17	IMSworld Pharmaceutical Company Directory name change to PHARMASEARCH
NEWS	3	Oct 09	Korean abstracts now included in Derwent World Patents Index
NEWS	4	Oct 09	Number of Derwent World Patents Index updates increased
NEWS	5	Oct 15	Calculated properties now in the REGISTRY/ZREGISTRY File
NEWS	6	Oct 22	Over 1 million reactions added to CASREACT
NEWS	7	Oct 22	DGENE GETSIM has been improved
NEWS	8	Oct 29	AAASD no longer available
NEWS	9	Nov 19	New Search Capabilities USPATFULL and USPAT2
NEWS	10	Nov 19	TOXCENTER(SM) - new toxicology file now available on STN
NEWS	11	Nov 29	COPPERLIT now available on STN
NEWS	12	Nov 29	DWPI revisions to NTIS and US Provisional Numbers
NEWS	13	Nov 30	Files VETU and VETB to have open access
NEWS	14	Dec 10	WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002
NEWS	15	Dec 10	DGENE BLAST Homology Search
NEWS	16	Dec 17	WELDASEARCH now available on STN
NEWS	17	Dec 17	STANDARDS now available on STN
NEWS	18	Dec 17	New fields for DPCI
NEWS	19	Dec 19	CAS Roles modified
NEWS	20	Dec 19	1907-1946 data and page images added to CA and Cplus
NEWS	21	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS	22	Jan 25	Searching with the P indicator for Preparations
NEWS	23	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS	24	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS	25	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS	26	Mar 08	Gene Names now available in BIOSIS
NEWS EXPRESS			February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 11:46:00 ON 21 MAR 2002

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.15

0.15

FILE 'REGISTRY' ENTERED AT 11:46:06 ON 21 MAR 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 19 MAR 2002 HIGHEST RN 401892-67-9

DICTIONARY FILE UPDATES: 19 MAR 2002 HIGHEST RN 401892-67-9

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES  
for more information. See STNote 27, Searching Properties in the CAS  
Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

The P indicator for Preparations was not generated for all of the  
CAS Registry Numbers that were added to the H/Z/CA/CAPLUS files between  
12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches  
during this period, either directly appended to a CAS Registry Number  
or by qualifying an L-number with /P, may have yielded incomplete results.  
As of 1/23/02, the situation has been resolved. Also, note that searches  
conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAPLUS files  
incorporating CAS Registry Numbers with the P indicator between 12/27/01  
and 1/23/02, are encouraged to re-run these strategies. Contact the  
CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698,  
worldwide, or send an e-mail to [help@cas.org](mailto:help@cas.org) for further assistance or to  
receive a credit for any duplicate searches.

=>


Uploading 09954988 cl202 last cmpd.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

```
=> search l1 exact full
FULL SEARCH INITIATED 11:46:43 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      13 TO ITERATE
```


```
100.0% PROCESSED      13 ITERATIONS      0 ANSWERS
SEARCH TIME: 00.00.01
```

```
L2      0 SEA EXA FUL L1
```

```
=>
Uploading 09954988 cl202 last cmpd gnrc.str
```

```
L3      STRUCTURE UPLOADED
```

```
=> d l3
L3 HAS NO ANSWERS
L3      STR
```



Structure attributes must be viewed using STN Express query preparation.

```
=> search l3 sss full
FULL SEARCH INITIATED 11:48:22 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    2987 TO ITERATE
```

```
100.0% PROCESSED    2987 ITERATIONS      0 ANSWERS
SEARCH TIME: 00.00.01
```


```
L4      0 SEA SSS FUL L3
```

```
=>
Uploading 09954988 cl202 last cmpd gnrc.str
```

```
L5      STRUCTURE UPLOADED
```

```
=> d l5
```

L5 HAS NO ANSWERS  
L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> search l5 sss full  
FULL SEARCH INITIATED 11:49:40 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 2201 TO ITERATE

100.0% PROCESSED 2201 ITERATIONS  
SEARCH TIME: 00.00.01


18 ANSWERS

L6 18 SEA SSS FUL L5

=> d scan

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Pentene-1,1,5,5-tetracarboxylic acid, 1,5-bis(acetylamino)-, tetraethyl  
ester, (E)- (9CI)  
MF C21 H32 N2 O10

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):18


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 3-Heptenedioic acid, 2,6-diamino-2-methyl-, [R-(R\*,S\*)]- (9CI)  
MF C8 H14 N2 O4

Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 3-Heptenedioic acid, 2-(acetylamino)-6-amino-2-methyl-, diethyl ester  
(9CI)  
MF C14 H24 N2 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 3-Heptenedioic acid,  
2-amino-6-[bis[(1,1-dimethylethoxy)carbonyl]amino]-2-  
methyl-, 7-(1,1-dimethylethyl) 1-ethyl ester, [S-[R\*,S\*-(E)]]- (9CI)  
MF C24 H42 N2 O8


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Pentene-1,1,5-tricarboxylic acid, 1-(acetylamino)-5-amino-3-methyl-,  
triethyl ester, monohydrochloride, (E)- (9CI)  
MF C17 H28 N2 O7 . Cl H

Double bond geometry as shown.



● HCl


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 2-Pentene-1,1,5-tricarboxylic acid, 5-amino-1-(formylamino)-, triethyl  
 ester (9CI)  
 MF C15 H24 N2 O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2,6-diamino-2-methyl-, [R-[R\*,S\*-(E)]]- (9CI)  
 MF C8 H14 N2 O4

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2-(acetamido)-6-azido-2-methyl-, diethyl ester  
 (9CI)  
 MF C14 H22 N4 O5




L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2,6-diamino-2-(fluoromethyl)- (9CI)  
 MF C8 H13 F N2 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 2-Pentene-1,1,5-tricarboxylic acid, 1-(acetamino)-5-azido-3-methyl-, triethyl ester, (E)- (9CI)  
 MF C17 H26 N4 O7

Double bond geometry as shown.




L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 2-Pentene-1,1,5-tricarboxylic acid, 5-azido-1-(formylamino)-3-methyl-, triethyl ester (9CI)  
 MF C16 H24 N4 O7



L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 3-Heptenedioic acid, 2,6-diamino-2-methyl-, 7-(1,1-dimethylethyl) 1-ethyl  
ester, [S-[R\*,S\*-(E)]]- (9CI)  
MF C14 H26 N2 O4


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Pentene-1,1,5-tricarboxylic acid, 5-amino-3-chloro-1-(formylamino)-,  
triethyl ester, (Z)- (9CI)  
MF C15 H23 Cl N2 O7


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Pentene-1,1,5,5-tetracarboxylic acid, 1,5-bis(acetylamino)-, tetraethyl  
ester, (Z)- (9CI)  
MF C21 H32 N2 O10


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2,6-diamino-2-methyl- (9CI)  
 MF C8 H14 N2 O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2-(acetamino)-6-amino-2-methyl- (9CI)  
 MF C10 H16 N2 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 3-Heptenedioic acid, 2-amino-6-[[[(1,1-dimethylethoxy)carbonyl]amino]-2-methyl-, 7-(1,1-dimethylethyl) 1-ethyl ester, [S-[R\*,S\*-(E)]]- (9CI)  
 MF C19 H34 N2 O6

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L6 18 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
 IN 2-Pentene-1,1,5-tricarboxylic acid, 5-azido-3-chloro-1-(formylamino)-, triethyl ester, (Z)- (9CI)

MF C15 H21 Cl N4 O7

Double bond geometry as shown.



ALL ANSWERS HAVE BEEN SCANNED

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

329.68

329.83

FILE 'CAPLUS' ENTERED AT 11:51:21 ON 21 MAR 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Mar 2002 VOL 136 ISS 12

FILE LAST UPDATED: 19 Mar 2002 (20020319/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

The P indicator for Preparations was not generated for all of the CAS Registry Numbers that were added to the CAS files between 12/27/01 and 1/23/02. As of 1/23/02, the situation has been resolved. Searches and/or SDIs in the H/Z/CA/Caplus files incorporating CAS Registry Numbers with the P indicator executed between 12/27/01 and 1/23/02 may be incomplete. See the NEWS message on this topic for more information.

=> 16

L7

7 L6

=> d l7 1-7 ti

L7 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Purification and characterization of dihydrodipicolinate synthase from  
pea

L7 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Stereoselective synthesis of (2S,6S)-2,6-diaminoheptanedioic acid and of  
unsymmetrical derivatives of meso-2,6-diaminoheptanedioic acid

L7 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Synthesis and antimicrobial evaluation of 2,6-diamino-2-fluoromethyl-3-  
heptenedioic acid, an unsaturated .alpha.-fluoromethyl derivative of  
diaminopimelic acid

L7 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Preparation of (Z)-3,4-didehydronorvaline, (E)- and (Z)-3,4-  
didehydroornithine and (E)- and (Z)-3,4-didehydro-2,6-diaminopimelic acid

L7 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Preparation of (glutamylamino)alkanedioates as autoimmune medicine and  
pharmaceutical compositions containing them

L7 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI Diaminopimelic acid derivatives

L7 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2002 ACS  
TI The lysine pathway as a target for a new genera of synthetic  
antibacterial  
antibiotics?

=> logoff hold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.34	335.17

FULL ESTIMATED COST

SESSION WILL BE HELD FOR 60 MINUTES  
STN INTERNATIONAL SESSION SUSPENDED AT 11:57:29 ON 21 MAR 2002  
Connection closed by remote host

Connecting via Winsock to STN

Trying 3106016892...Open

Welcome to STN International! Enter x:x  
LOGINID:sssptal623paz  
PASSWORD:

\* \* \* \* \* RECONNECTED TO STN INTERNATIONAL \* \* \* \* \*  
SESSION RESUMED IN FILE 'CAPLUS' AT 12:12:53 ON 21 MAR 2002  
FILE 'CAPLUS' ENTERED AT 12:12:53 ON 21 MAR 2002  
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.34	335.17

FULL ESTIMATED COST

=> save temp l7 cl202srch/  
CL202SRCH/ IS NOT A VALID SAVED NAME  
Enter the name you wish to use for the saved query,

answer set, or L-number list. The name must:

1. Begin with a letter,
2. Have 1-12 characters,
3. Contain only letters (A-Z) and numbers (0-9),
4. End with /Q for a query (search profile, structure, or screen set), /A for an answer set, or /L for an L-number list.
5. Not already be in use as a saved name,
6. Not be END, SAV, SAVE, SAVED
7. Not have the form of an L-number (Lnnn).

ENTER NAME OR (END):end

=> save temp l7 cl202srch/a

ANSWER SET L7 HAS BEEN SAVED AS 'CL202SRCH/A'

=> logoff hold

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.68

335.51

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 12:13:40 ON 21 MAR 2002

L Number	Hits	Search Text	DB	Time stamp
1	0	9313055.URPN.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
2	337	562/560.ccls.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
3	389	562/561.ccls.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
4	244	562/564.ccls.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
5	862	562/560.ccls. or 562/561.ccls. or 562/564.ccls.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
6	9	nitic adj oxide	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
7	7939	nitric adj oxide	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
8	0	methylserinate	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
9	173	heptynoic	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
10	1461	heptenoic	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
11	3	9525717.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
12	2	9313055.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
13	2	5863931.URPN.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
14	3	9533534.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
15	2	9534534.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
16	5	9104024.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
17	3	5798387.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
18	24	(nitric adj oxide) and (562/560.ccls. or 562/561.ccls. or 562/564.ccls.)	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
19	4	3402990.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
20	3	5132453.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
21	2	(562/560.ccls. or 562/561.ccls. or 562/564.ccls.) and heptynoic	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
22	1	9324126.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
23	7	heptenoic and (562/560.ccls. or 562/561.ccls. or 562/564.ccls.)	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12

24	3	5854234.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12
25	2	6046211.pn.	USPAT; EPO; JPO; DERWENT	2002/03/21 13:12

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	L1	0	9313055.URPN.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
2	BRS	L2	337	562/560.ccls.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
3	BRS	L3	389	562/561.ccls.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
4	BRS	L4	244	562/564.ccls.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
5	BRS	L5	862	562/560.ccls. or 562/561.ccls. or 562/564.ccls.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
6	BRS	L6	9	nitic adj oxide	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
7	BRS	L7	7939	nitric adj oxide	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
8	BRS	L8	0	methylserinate	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
9	BRS	L9	173	heptynoic	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
10	BRS	L10	1461	heptenoic	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		

	Err ors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
11	BRS	L11	3	9525717.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
12	BRS	L12	2	9313055.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
13	BRS	L13	2	5863931.URPN.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
14	BRS	L14	3	9533534.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
15	BRS	L15	2	9534534.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
16	BRS	L16	5	9104024.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
17	BRS	L17	3	5798387.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
18	BRS	L18	24	(nitric adj oxide) and (562/560.ccls. or 562/561.ccls. or 562/564.ccls.)	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
19	BRS	L19	4	3402990.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
20	BRS	L20	3	5132453.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		

	Err ors
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS	L21	2	(562/560.ccls. or 562/561.ccls. or 562/564.ccls.) and heptynoic	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
22	BRS	L22	1	9324126.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
23	BRS	L23	7	heptenoic and (562/560.ccls. or 562/561.ccls. or 562/564.ccls.)	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
24	BRS	L24	3	5854234.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		
25	BRS	L25	2	6046211.pn.	USPAT ; EPO; JPO; DERWE NT	2002/03/21 13:12		

	Err ors
21	0
22	0
23	0
24	0
25	0